



湖北航天双菱物流技术有限公司

地址：中国湖北省孝感市长征路 95 号

邮编：432000

电话：（0712）2957940

传真：（0712）2329801

HUBEI SPACE DOUBLE RHOMBUS LOGISTICS TECHNOLOGY CO., LTD.

Address: No. 95 Changzheng Road Xiaogan Hubei Province China

Postcode: 432000

Tel: 86 712 2957940

Fax: 86 712 2329801

Email: sl@sl-caster.com sljl@slcaster.com

Website: www.sl-caster.com



<http://www.sl-caster.com/en/down.php>



湖北航天双菱物流技术有限公司

**HUBEI SPACE
DOUBLE RHOMBUS**
LOGISTICS TECHNOLOGY
CO., LTD.

>

Company Profile

公司简介



Hubei Space Double Rhombus Logistics Technology Co., Ltd. is a large-scale special manufacturer of castor, handcart, airport trolley, airport lounge seating, information counter which integrate research, developing, manufacture and sales in whole. The company was founded in 1978, nowadays, company has gotten certificate of ISO9001 quality system, OH-SAS 18001 health system and ISO14001 circumstance system already. In 1993, the National Standard Bureau entrusted the company to compile the National Standard for castors.

The company has owned maturity producing line of incising, bending, welding surface-plating and packing for trolley, the productivity has been over 30pcs container to delivery one month. There are more than 20 kinds of passenger trolley handcart and shopping cart which are “Double Rhombus” brand. These products have been using more than 20 domestic airdromes, and sold to South America, North America, Europe, Africa and Southeast Asia more than 20 countries and areas, the products has been getting high recognitions and repute from domestic and international customers, in 2008, the products' brand of “Double Rhombus” was conferred “CHINA FAMOUS BRAND”, and company was conferred “QUALITY, SERVICE, PRESTIGE AAA ENTERPRISE” by Chinese organization.

湖北航天双菱物流技术有限公司是集脚轮、机场行李车、座椅、柜台及机场设施等产品的研究、开发、生产、销售和服务于一体的大型专业化生产厂家。公司始建于1978年，拥有了完善的质量管理体系，并先后通过了ISO9001系列质量管理体系，OHSAS 18001职业健康安全管理体系和ISO14001环境管理体系。1993年，公司受国家标准化局委托起草了脚轮行业的国家标准。

目前，公司具备完整的下料、弯型、焊接、表面处理、包装等生产线，达到月出货30个集装箱的生产能力，现有“双菱”牌机场行李车、手推车、免税店购物车等20多种车型，该系列产品先后在国内的二十多个大型机场投入使用，同时远销南美洲、北美洲、欧洲、非洲、东南亚等二十多个国家和地区，深受广大消费者的信赖和好评，2008年“双菱”品牌被评为“中国著名品牌”，同时公司被评为“质量、服务、信誉AAA企业”。



+

Product's Specification 产品说明

型号 Product code	铝合金 Aluminium alloy	不锈钢 Stainless Steel	普钢 Steel	载重 Load capacity (kg)	叠叉距离 Nesting distance	广告面积 Advertising space (cm²)	脚轮描述 Castor specification	刹车 Auto brake	可上电梯 Suitable escalator	页码 Page No.
GS1-250	✓			200	270	4948	two fixed one swivel castors	✓		2
GS9-250	✓			200	270	4948	two fixed one swivel castors	✓		2
GS10-250	✓			200	270	4948	two fixed one swivel castors	✓		4
GS7-250	✓			200	270	4948	two fixed one swivel castors	✓		6
WS-250	✓			200	270	4948	two fixed one swivel castors	✓		7
GS5-250	✓			200	270	4948	two fixed one swivel castors	✓	✓	8
GS3-250	✓			200	270	4948	two fixed one swivel castors	✓		9
GS12-250	✓			200	270	4948	two fixed one swivel castors	✓		10
GS13-250	✓			200	270	4948	two fixed one swivel castors	✓		11
GS6-250	✓			200	270	6459	two fixed one or two swivel castors	✓		12
GJ-200		✓		200	250	3600	two fixed one or two swivel castors			13
GJ-150		✓		250	270	1936	two fixed one swivel castors			14
GJ-180		✓		180	300	2550	two fixed one or two swivel castors			15
GZ1-250		✓	✓	250	270	4260	two fixed one swivel castors	✓		16
GZ-250		✓	✓	250	270	5158	two fixed one swivel castors	✓		17
GC-250		✓		250	340	4568	two fixed one swivel castors	✓		18
GC-300		✓		300	410	5230	two fixed one or two swivel castors	✓		19
GJ2-260		✓		260	300	3689	two fixed and two swivel castors	✓		20
GJ1-300		✓		300	250	4001	two fixed one swivel castors	✓		21
GJ2-300		✓		300	270	4001	two fixed one or two swivel castors	✓		22
CX-80	✓	✓		80	210	3180	four swivel castors	✓		24
CA-80	✓	✓		80	210	3180	four swivel castors			25
CS-80		✓	✓	80	210	2050	four swivel castors	✓		26
CW-80			✓	80	200	3825	four swivel castors			27
GC-100		✓	✓	100	290	4215	two fixed two swivel castors	✓		28



- Self-adjusting automatic brake with pole
 - Streamline plastic handle
 - Nesting function
 - Protection function of front bumper
 - Stainless steel basket
 - Has 2 items practical new-style patent
- 自动调节杆式刹车功能
 - 流线型全塑扶手
 - 叠叉功能
 - 前防撞保护功能
 - 不锈钢车筐
 - 有二项实用新型专利

GSI-250




GS9-250



ALUMINIUM ALLOY	STAINLESS STEEL	STEEL	AUTO BRAKE	SUITABLE ESCALATOR
LOAD CAPACITY(KG)	NESTING DISTANCE(MM)	ADVERTISING SPACE (cm ²)		
200	270	4948		

Body material	High strength aluminium alloy 6063-T5	车体材料	高强度 6063-T5 铝合金
Basket material	Stainless steel basket	车筐材料	不锈钢车筐
Guard component material	PA6	防护材料	增强尼龙
Length	990mm	长度	990mm
Front width	400mm	前宽	400mm
Back width	675mm	后宽	675mm
Heigth	1050mm	高度	1050mm
Top basket size	525mm × 220mm × 150mm	车筐尺寸	525mm × 220mm × 150mm
Load capacity	200kg	载重	200kg
Castors	1 swivelcastor and 2 fixed castors	车轮	一个转向 / 两个定向轮
Castors specification	Ø180mm TPE / Natural rubber wheel with double ball bearings	车轮规格	Ø180mm 双滚珠轴承 TPE / 天然胶轮
Main advertising panel size	526mm × 319mm	主广告位尺寸	526mm × 319mm
Side advertising panel size	670mm × 40mm	侧广告位尺寸	670mm × 40mm
Basket advertising panel size	Front: 480mm × 100mm Back: 480mm × 120mm	车筐广告位尺寸	前: 480mm × 100mm 后: 480mm × 120mm
Nesting distance	270mm	叠叉距离	270mm



CHOICE PARTS




Powder coated basket
喷塑车筐




Stainless steel baske
不锈钢车筐




Galvanized basket
镀锌车筐



Rubber lining chassis
嵌胶条式防滑底盘



Dentiform chassis for avoid servicing
免维护齿面底盘



Flat type chassis for avoid servicing
免维护光面底盘




GS10-250

- Self-adjusting automatic brake with pole
- Streamline plastic handle
- Protection function of front circular arc bumper
- Multi-advertising panel
- Stainless steel basket
- Has 2 items practical new-style patent
- 自动调节杆式刹车功能
- 流线型扶手
- 圆弧防撞保护功能
- 七个广告位
- 不锈钢车筐
- 有二项实用新型专利


ALUMINIUM ALLOY	STAINLESS STEEL	STEEL	AUTO BRAKE	SUITABLE ESCALATOR
LOAD CAPACITY(KG)	LOADING DISTANCE(MM)	ADVERTISING SPACE (cm ²)		
200	270	4948		




CHOICE PARTS



Holistic structure plastic handle
整体式全塑扶手



Inlaid structure plastic handle
嵌入式全塑扶手



Round tube handle
圆管扶手



More elasticity TPE wheel
高弹性耐磨 TPE 轮



Natural rubber wheel
纯天然橡胶轮



Escalator wheel
电梯轮



Escalator wheel with double
natural rubber wheels
电梯双轮



GS7-250

- Self-adjusting automatic brake with pole
- Powder coated basket
- It is round handle which is terse economical trolley
- High quality rubber lining chassis
- The type is popular with airport passenger
- Has 2 items practical new-style patent
- 自动调节杆式刹车功能 喷塑车筐
- 简洁式圆形铝管扶手 经济车型
- 优质橡胶压条防滑底盘
- 款式大方 使用灵活方便
- 有二项实用新型专利



ALUMINIUM ALLOY	STAINLESS STEEL	STEEL	AUTO BRAKE	SUITABLE ESCALATOR
LOAD CAPACITY(KG)	NESTING DISTANCE(MM)	ADVERTISING SPACE (cm ²)		
200	270	4948		

WS-250

- Without self-adjusting automatic brake
- Powder coated basket
- High quality rubber lining chassis
- It is round handle which is terse economical trolley
- the type is popular with airport passenger
- Has 2 items practical new-style patent
- 无刹车式铝合金手推车 喷塑车筐
- 优质橡胶压条防滑底盘
- 简洁式圆形铝管扶手 经济车型
- 款式大方 使用灵活方便
- 有二项实用新型专利

ALUMINIUM ALLOY	STAINLESS STEEL	STEEL	AUTO BRAKE	SUITABLE ESCALATOR
LOAD CAPACITY(KG)	NESTING DISTANCE(MM)	ADVERTISING SPACE (cm ²)		
200	270	4948		



Body material	High strength aluminium alloy T6030	车体材料	高强度 T6063 铝合金
Basket material	Steel	车筐材料	喷塑车筐
Guard component material	PA6	防护材料	增强尼龙
Length	980mm	长度	980mm
Front width	400mm	前宽	400mm
Back width	675mm	后宽	675mm
Height	1025mm	高度	1025mm
Top basket size	525mm × 220mm × 150mm	车筐尺寸	525mm × 220mm × 150mm
Load capacity	200kg	载重	200kg
Castors	1 swivel castor and 2 fixed castors	车轮	一个转向 / 两个定向轮
Castors specification	Ø180mm TPE / Natural rubber wheel with double ball bearings	车轮规格	Ø180mm 双滚珠轴承 TPE/ 天然胶轮
Main advertising panel size	526mm × 319mm	主广告位尺寸	526mm × 319mm
Side advertising panel size	670mm × 40mm	侧广告位尺寸	670mm × 40mm
Basket advertising panel size	Front: 480mm × 100mm/Back: 480mm × 120mm	车筐广告位尺寸	前: 480mm × 100mm 后: 480mm × 120mm
Nesting distance	270mm	叠叉距离	270mm

Body material	High strength aluminium alloy T6030	车体材料	高强度 T6063 铝合金
Basket material	Steel	车筐材料	喷塑车筐
Guard component material	PA6	防护材料	增强尼龙
Length	980mm	长度	980mm
Front width	400mm	前宽	400mm
Back width	675mm	后宽	675mm
Height	1025mm	高度	1025mm
Top basket size	525mm × 220mm × 150mm	车筐尺寸	525mm × 220mm × 150mm
Load capacity	200kg	载重	200kg
Castors	1 swivel castor and 2 fixed castors	车轮	一个转向 / 两个定向轮
Castors specification	Ø180mm TPE / Natural rubber wheel with double ball bearings	车轮规格	Ø180mm 双滚珠轴承 TPE/ 天然胶轮
Main advertising panel size	526mm × 319mm	主广告位尺寸	526mm × 319mm
Side advertising panel size	670mm × 40mm	侧广告位尺寸	670mm × 40mm
Basket advertising panel size	Front: 480mm × 100mm/Back: 480mm × 120mm	车筐广告位尺寸	前: 480mm × 100mm 后: 480mm × 120mm
Nesting distance	270mm	叠叉距离	270mm



GS5-250

- Self-adjusting automatic brake
- Special for escalator trolley
- Dentiform chassiss for avoid servicing
- Front bumper for guard
- Powder coated basket
- Has 2 items practical new-style patent
- 动调节杆式刹车功能
- 可乘电梯功能
- 免维护型防滑底盘
- 前防撞保护功能
- 喷塑车筐
- 有二项实用新型专利



ALUMINIUM ALLOY	STAINLESS STEEL	STEEL	AUTO BRAKE	SUITABLE ESCALATOR
LOAD CAPACITY(KG)	NESTING DISTANCE(MM)	ADVERTISING SPACE (cm ²)		
200	270	4948		

Body material	High strength aluminium alloy 6063-T5	车体材料	高强度 6063-T5 铝合金
Basket material	Steel	车筐材料	喷塑钢
Guard component material	PA6	防护材料	增强尼龙
Length	990mm	长度	990mm
Front width	400mm	前宽	400mm
Back width	675mm	后宽	675mm
Height	1050mm	高度	1050mm
Top basket size	525mm × 220mm × 150mm	车筐尺寸	525mm × 220mm × 150mm
Load capacity	200kg	载重	200kg
Castors	1 swivelcastor and 2 fixed castors	车轮	一个万向 / 两个定向轮
Castors specification	Ø180mm escalator caster with ball bearings	车轮规格	直径 180mm 滚珠轴承电梯轮
Main advertising panel size	526mm × 319mm	主广告位尺寸	526mm × 319mm
Side advertising panel size	670mm × 40mm	侧广告位尺寸	670mm × 40mm
Basket advertising panel size	Front: 480mm × 100mm Back: 480mm × 120mm	车筐广告位尺寸	前: 480mm × 100mm 后: 480mm × 120mm
Nesting distance	270mm	叠叉距离	270mm

GS3-250

- Self-adjusting automatic brake with wire
- Cast-aluminum alloy inlaid plastic handle
- Multi advertising panel
- Powder coated basket
- Has 1 items practical new-style patent
- 线式自动刹车功能
- 压铸铝 嵌入式全塑扶手
- 七个广告位
- 喷塑车筐
- 有一项实用新型专利

ALUMINIUM ALLOY	STAINLESS STEEL	STEEL	AUTO BRAKE	SUITABLE ESCALATOR
LOAD CAPACITY(KG)	NESTING DISTANCE(MM)	ADVERTISING SPACE (cm ²)		
200	270	4948		

Body material	High strength aluminium alloy 6063-T5	车体材料	高强度 6063-T5 铝合金
Basket material	Steel	车筐材料	喷塑钢
Guard component material	PA6	防护材料	增强尼龙
Length	1000mm	长度	1000mm
Front width	400mm	前宽	400mm
Back width	675mm	后宽	675mm
Height	1030mm	高度	1030mm
Top basket size	525mm × 220mm × 150mm	车筐尺寸	525mm × 220mm × 150mm
Load capacity	200kg	载重	200kg
Castors	1 swivelcastor and 2 fixed castors	车轮	一个转向 / 两个定向轮
Castors specification	Ø180mm TPE / Natural rubber wheel with double ball bearings	车轮规格	Ø180mm 双滚珠轴承 TPE / 天然胶轮
Main advertising panel size	526mm × 319mm	主广告位尺寸	526mm × 319mm
Side advertising panel size	670mm × 40mm	侧广告位尺寸	670mm × 40mm
Basket advertising panel size	Front: 480mm × 100mm Back: 480mm × 120mm	车筐广告位尺寸	前: 480mm × 100mm 后: 480mm × 120mm
Nesting distance	270mm	叠叉距离	270mm



GS12-250

- Self-adjusting automatic brake with pole
 - Advertising panel material is aluminium-plastic composite
 - Streamline holistic plastic handle
 - Has 3 items practical new-style patent
 - With strengthened structure chassiss
- 自动调节杆式刹车功能
 - 广告板材料是铝塑板
 - 流线型整体式全塑扶手
 - 有三项实用新型专利
 - 带加强结构的底盘



Body material	High strength aluminium alloy T6030	车体材料	高强度 T6063 铝合金
Basket material	Stainless steel 304	车筐材料	不锈钢 304
Guard component material	PA6	防护材料	增强尼龙
Length	990mm	长度	990mm
Front width	400mm	前宽	400mm
Back width	675mm	后宽	675mm
Heigth	1050mm	高度	1050mm
Top basket size	525mm × 220mm × 150mm	车筐尺寸	525mm × 220mm × 150mm
Load capacity	200kg	载重	200kg
Castors	1 swivelcastor and 2 fixed castors	车轮	一个转向 / 两个定向轮
Castors specification	Ø180mm TPE / Natural rubber wheel with double ball bearings	车轮规格	Ø180mm 双滚珠轴承 TPE/ 天然胶轮
Main advertising panel size	526mm × 319mm	主广告位尺寸	526mm × 319mm
Side advertising panel size	670mm × 40mm	侧广告位尺寸	670mm × 40mm
Basket advertising panel size	Front: 480mm × 100mm/Back: 480mm × 120mm	车筐广告位尺寸	前: 480mm × 100mm 后: 480mm × 120mm
Nesting distance	270mm	叠叉距离	270mm



GS13-250

- Self-adjusting automatic brake with pole
 - Streamline holistic plastic handle
 - With folding guard bar
- 自动调节杆式刹车功能
 - 流线型整体式全塑扶手
 - 带前折叠挡板



Body material	High strength aluminium alloy T6030	车体材料	高强度 T6063 铝合金
Basket material	Stainless steel 304	车筐材料	不锈钢 304
Guard component material	PA6	防护材料	增强尼龙
Length	990mm	长度	990mm
Front width	400mm	前宽	400mm
Back width	675mm	后宽	675mm
Heigth	1050mm	高度	1050mm
Top basket size	525mm × 220mm × 150mm	车筐尺寸	525mm × 220mm × 150mm
Load capacity	200kg	载重	200kg
Castors	1 swivelcastor and 2 fixed castors	车轮	一个转向 / 两个定向轮
Castors specification	Ø180mm escalator caster with ball bearings	车轮规格	Ø180mm 滚珠轴承电梯轮
Main advertising panel size	526mm × 319mm	主广告位尺寸	526mm × 319mm
Side advertising panel size	670mm × 40mm	侧广告位尺寸	670mm × 40mm
Basket advertising panel size	Front: 480mm × 100mm/Back: 480mm × 120mm	车筐广告位尺寸	前: 480mm × 100mm 后: 480mm × 120mm
Nesting distance	270mm	叠叉距离	270mm



GS6-250

- Self-adjusting automatic brake with pole
- Outstanding advertising panel
- Streamline holistic plastic handle
- Has 3 items practical new-style patent
- 自动调节杆式刹车功能
- 超大广告位
- 流线型整体式全塑扶手
- 有三项实用新型专利




ALUMINIUM ALLOY	STAINLESS STEEL	STEEL	AUTO BRAKE	SUITABLE ESCALATOR
LOAD CAPACITY(KG)	NESTING DISTANCE(MM)	ADVERTISING SPACE (cm ²)		
200	270	6459		

Body material	High strength aluminium alloy 6063-T5	车体材料	高强度 6063-T5 铝合金
Guard component material	PA6	防护材料	增强尼龙
Length	1000mm	长度	1000mm
Front width	400mm	前宽	400mm
Back width	675mm	后宽	675mm
Height	1070mm	高度	1070mm
Load capacity	200kg	载重	200kg
Castors	1 swivelcastor and 2 fixed castors	车轮	一个转向 / 两个定向轮
Castors specification	Ø180mm TPE / Natural rubber wheel with double ball bearings	车轮规格	Ø180mm 双滚珠轴承 TPE/ 天然胶轮
Main advertising panel size	526mm × 560mm	主广告位尺寸	526mm × 560mm
Side advertising panel size	710mm × 40mm	侧广告位尺寸	710mm × 40mm
Nesting distance	270mm	叠叉距离	270mm



GJ-200

- Stainless steel trolley without brake
- The whole stainless steel trolley with succinct structure
- It is terse and agile which is handy use
- Has 1 items practical new-style patent
- 无刹式全不锈钢手推车
- 整体式不锈钢车 结构简洁
- 小巧灵活 使用方便
- 有一项实用新型专利



ALUMINIUM ALLOY	STAINLESS STEEL	STEEL	AUTO BRAKE	SUITABLE ESCALATOR
LOAD CAPACITY(KG)	NESTING DISTANCE(MM)	ADVERTISING SPACE (cm ²)		
200	250	3600		

Material	stainless steel 304	材料	不锈钢 304
Length	1000mm	长度	1000mm
Front width	390mm	前宽	390mm
Back width	680mm	后宽	680mm
Height	975mm	高度	975mm
Top basket size	450mm × 190mm × 165mm	车筐尺寸	450mm × 190mm × 165mm
Load capacity	200kg	载重	200kg
Castors	1 swivel castor and 2 fixed castors	车轮	一个万向 / 两个定向轮
Castors specification	Ø150mm front castor with ball bearing; Ø180mm rear castors with ball bearing	车轮规格	前轮直径 150mm, 后轮直径 180mm 滚珠轴承轮
Main advertising panel size	450mm × 400mm	主广告位尺寸	450mm × 400mm
Nesting distance	250mm	叠叉距离	250mm



GJ-150

- Stainless steel trolley without brake
 - The whole is stainless steel
 - With an upturn chassis
 - Has 1 items practical new-style patent
- 无刹式全不锈钢手推车
 - 整体式不锈钢
 - 带翻转底盘
 - 有一项实用新型专利



ALUMINIUM ALLOY	STAINLESS STEEL	STEEL	AUTO BRAKE	SUITABLE ESCALATOR
LOAD CAPACITY(KG)	NESTING DISTANCE(MM)	ADVERTISING SPACE (cm ²)		
150	230	1936		

Body material	Stainless steel 304	车体材料	不锈钢 304
Basket material	Stainless steel 304	车筐材料	不锈钢 304
Guard component material	PA6	防护材料	增强尼龙
Length	815mm	长度	815mm
Front width	400mm	前宽	400mm
Back width	600mm	后宽	600mm
Heigth	905mm	高度	905mm
Top basket size	440mm × 190mm × 125mm	车筐尺寸	440mm × 190mm × 125mm
Load capacity	150kg	载重	150kg
Castors	2 swivelcastor and 2 fixed castors	车轮	两个转向 / 两个定向轮
Castors specification	Ø125mm front wheel / Ø180mm rear wheel (TPE / Natural rubber wheel with double ball bearings)	车轮规格	Ø125mm Ø180mm 双滚珠轴承 TPE/ 天然胶轮
Main advertising panel size	440mm × 220mm	主广告位尺寸	440mm × 220mm
Nesting distance	230mm	叠叉距离	230mm

GJ-180

- Stainless steel trolley without brake
 - The whole stainless stee trolley with succinct structure
 - It is terse and agile which is handy use
 - Has 1 items practical new-style patent
- 无刹式全不锈钢手推车
 - 整体式不锈钢车 结构简洁
 - 小巧灵活 使用方便
 - 有一项实用新型专利

ALUMINIUM ALLOY	STAINLESS STEEL	STEEL	AUTO BRAKE	SUITABLE ESCALATOR
LOAD CAPACITY(KG)	NESTING DISTANCE(MM)	ADVERTISING SPACE (cm ²)		
180	300	2550		

Material	Stainless steel 304	材料	不锈钢 304
Length	980mm	长度	980mm
Front width	390mm	前宽	390mm
Back width	650mm	后宽	650mm
Heigth	1010mm	高度	1010mm
Top basket size	425mm × 190mm × 165mm	车筐尺寸	425mm × 190mm × 165mm
Load capacity	180kg	载重	180kg
Castors	2 swivel castors and 2 fixed castors	车轮	两个转向 / 两个定向轮
Castors specification	Ø180mm cators with ball bearing	车轮规格	前直径 125mm, 直径 180mm 滚珠轴承轮
Main advertising panel size	425mm × 300mm	主广告位尺寸	425mm × 300mm
Nesting distance	300mm	叠叉距离	300mm





GZI-250

- Self-adjusting automatic brake with pole
- Galvanized steel tube or stainless steel trolley circular & streamline chassis
- The trolley structure is firm and substantia
- It is in nice agility use
- Has 2 items practical new-style patent
- 自动调节杆式刹车功能
- 整体式钢管镀锌或不锈钢手推车 流线型圆弧底盘
- 车体结构牢固 强度好 使用性能灵活
- 有二项实用新型专利



ALUMINIUM ALLOY	STAINLESS STEEL	STEEL	AUTO BRAKE	SUITABLE ESCALATOR
LOAD CAPACITY(KG)	NESTING DISTANCE(MM)	ADVERTISING SPACE (cm ²)		
250	270	4260		



Material	Galvanized steel tube / Stainless steel	材料	钢管镀锌 / 不锈钢
Length	1015mm	长度	1015mm
Front width	390mm	前宽	390mm
Back width	625mm	后宽	625mm
Heigth	1025mm	高度	1025mm
Top basket size	525mm × 270mm × 150mm	车筐尺寸	525mm × 270mm × 150mm
Load capacity	250kg	载重	250kg
Castors	1 swivelcastor and 2 fixed castors	车轮	一个万向 / 两个定向轮
Castors specification	Ø180mm cators with double ball bearings	车轮规格	直径 180mm 双滚珠轴承轮
Main advertising panel size	526mm × 390mm	主广告位尺寸	526mm × 390mm
Basket advertising panel size	Front: 480mm × 100mm Back: 480mm × 120mm	车筐广告位尺寸	前: 480mm × 100mm 后: 480mm × 120mm
Nesting distance	270mm	叠叉距离	270mm

GZ-250

- Self-adjusting automatic brake with pole
- Chrome plating steel tube or stainless steel tube trolley
- The trolley structure is firm and substantia
- It is in nice agility use
- Has 1 items practical new-style patent
- 自动调节杆式刹车功能
- 整体式钢管镀铬或不锈钢手推车 防撞底盘
- 车体结构牢固 强度好 使用性能灵活
- 有一项实用新型专利

ALUMINIUM ALLOY	STAINLESS STEEL	STEEL	AUTO BRAKE	SUITABLE ESCALATOR
LOAD CAPACITY(KG)	NESTING DISTANCE(MM)	ADVERTISING SPACE (cm ²)		
250	270	5158		



Material	Steel tube with chrome plating / Stainless steel	材料	钢管镀铬 / 不锈钢
Length	1010mm	长度	1010mm
Front width	390mm	前宽	390mm
Back width	630mm	后宽	630mm
Heigth	1025mm	高度	1025mm
Top basket size	525mm × 220mm × 150mm	车筐尺寸	525mm × 220mm × 150mm
Load capacity	250kg	载重	250kg
Castors	1 swivelcastor and 2 fixed castors	车轮	一个万向 / 两个定向轮
Castors specification	Ø180mm cators with doubleball bearings	车轮规格	直径 180mm 双滚珠轴承轮
Main advertising panel size	526mm × 390mm	主广告位尺寸	526mm × 390mm
Basket advertising panel size	Front: 480mm × 100mm Back: 480mm × 120mm	车筐广告位尺寸	前: 480mm × 100mm 后: 480mm × 120mm
Nesting distance	270mm	叠叉距离	270mm

GC-250

- Self-adjusting automatic brake with pole
 - The whole is stainless steel
 - Bigger load capacity
 - Has 1 items practical new-style patent
- 自动调节杆式刹车功能
 - 整体式不锈钢车
 - 超大承载能力
 - 有一项实用新型专利



ALUMINIUM ALLOY	STAINLESS STEEL	STEEL	AUTO BRAKE	SUITABLE ESCALATOR
LOAD CAPACITY(KG)	NESTING DISTANCE(MM)	ADVERTISING SPACE (cm²)		
250	340	4568		

Material	Stainless steel 304	材料	不锈钢 304
Length	1100mm	长度	1100mm
Width	625mm	宽度	625mm
Heigth	1060mm	高度	1060mm
Top basket size	525mm × 235mm × 170mm	车筐尺寸	525mm × 235mm × 170mm
Load capacity	250kg	载重	250kg
Castors	1 swivel castor and 2 fixed castors	车轮	一个转向 / 两个定向轮
Castors specification	Ø150mm front castor with ball bearing ; Ø180mm rear cators with ball bearing	车轮规格	前 Ø150mm 转向, 后 Ø180mm 滚珠轴承轮
Main advertising panel size	526mm × 335mm	主广告位尺寸	475mm × 585mm
Side advertising panel size	115mm × 585mm	侧广告位尺寸	115mm × 585mm
Basket advertising panel size	380mm × 115mm	车筐广告位尺寸	380mm × 115mm
Nesting distance	340mm	叠叉距离	340mm

GC-300

- Self-adjusting automatic brake with pole
 - The whole is stainless steel
 - Bigger load capacity
 - Has 1 items practical new-style patent
- 自动调节杆式刹车功能
 - 整体式不锈钢车
 - 超大承载能力
 - 有一项实用新型专利



ALUMINIUM ALLOY	STAINLESS STEEL	STEEL	AUTO BRAKE	SUITABLE ESCALATOR
LOAD CAPACITY(KG)	NESTING DISTANCE(MM)	ADVERTISING SPACE (cm²)		
300	410	5230		



Material	Stainless steel 304	材料	不锈钢 304
Length	960mm	长度	960mm
Width	615mm	宽度	615mm
Heigth	1150mm	高度	1150mm
Top basket size	515mm × 205mm × 175mm	车筐尺寸	515mm × 205mm × 175mm
Load capacity	300kg	载重	300kg
Castors	2 swivel castor and 2 fixed castors	车轮	两个转向 / 两个定向轮
Castors specification	Ø125mm front castor with ball bearing ; Ø180mm rear cators with ball bearing	车轮规格	前 Ø125mm 转向, 后 Ø180mm 滚珠轴承轮
Main advertising panel size	515mm × 395mm	主广告位尺寸	515mm × 395mm
Basket advertising panel size	415mm × 140mm	车筐广告位尺寸	415mm × 140mm
Nesting distance	410mm	叠叉距离	410mm



GJ2-260

- Self-adjusting automatic brake with pole
- The whole is stainless steel
- Double-decker chassis structure with antiskid
- Bigger load capacity
- Has 1 items practical new-style patent
- 自动调节杆式刹车功能
- 整体式不锈钢车
- 双层底盘防滑设计
- 超大承载能力
- 有一项实用新型专利

ALUMINIUM ALLOY	STAINLESS STEEL ✓	STEEL	AUTO BRAKE ✓	SUITABLE ESCALATOR
LOAD CAPACITY(KG)	NESTING DISTANCE(MM)	ADVERTISING SPACE (cm ²)		
260	300	3689		



Body material	Stainless steel 304	车体材料	不锈钢 304
Basket material	Stainless steel 304	车筐材料	不锈钢 304
Guard component material	PA6	防护材料	增强尼龙
Length	905mm	长度	905mm
Back width	580mm	后宽	580mm
Heigth	985mm	高度	985mm
Top basket size	478mm × 220mm × 150mm	车筐尺寸	478mm × 220mm × 150mm
Load capacity	260kg	载重	260kg
Castors	2 swivelcastor and 2 fixed castors	车轮	一个转向 / 两个定向轮
Castors specification	Ø125mm front wheel / Ø180mm rear wheel (TPE / Natural rubber wheel with double ball bearings)	车轮规格	Ø125mm Ø180mm 双滚珠轴承 TPE/ 天然胶轮
Main advertising panel size	480mm × 280mm	主广告位尺寸	480mm × 280mm
Basket advertising panel size	Front: 455mm × 100mm/Back: 455mm × 120mm	车筐广告位尺寸	前: 455mm × 100mm 后: 455mm × 120mm
Nesting distance	270mm	叠叉距离	270mm



GJ1-300

- Self-adjusting automatic brake with pole
- The whole is stainless steel
- Double-decker chassis structure with antiskid
- Bigger load capacity
- Has 1 items practical new-style patent
- 自动调节杆式刹车功能
- 整体式不锈钢车 双层底盘防滑设计
- 超大承载能力
- 有一项实用新型专利

ALUMINIUM ALLOY	STAINLESS STEEL ✓	STEEL	AUTO BRAKE ✓	SUITABLE ESCALATOR
LOAD CAPACITY(KG)	NESTING DISTANCE(MM)	ADVERTISING SPACE (cm ²)		
300	270	4001		

GJ3-300



Material	Stainless steel 304	材料	不锈钢 304
Length	960mm	长度	960mm
Width	625mm	宽度	625mm
Heigth	1070mm	高度	1070mm
Top basket size	525mm × 220mm × 150mm	车筐尺寸	525mm × 220mm × 150mm
Load capacity	300kg	载重	300kg
Castors	1 swivel castor and 2 fixed castors	车轮	一个万向 / 两个定向轮
Castors specification	Ø180mm castors with ball bearing	车轮规格	直径 180mm 滚珠轴承轮
Main advertising panel size	526mm × 280mm	主广告位尺寸	526mm × 280mm
Basket advertising panel size	Front: 480mm × 100mm/Back: 480mm × 120mm	车筐广告位尺寸	前: 480mm × 100mm 后: 480mm × 120mm
Nesting distance	270mm	叠叉距离	270mm



GJ2-300

- Self-adjusting automatic brake with pole
 - The whole is stainless steel and double-decker chassis structure
 - With folding front guard bigger load capacity
 - Has 1 items practical new-style patent
- 自动调节杆式刹车功能
 - 整体式不锈钢 双层底盘结构
 - 可折叠前挡板 超大承载能力
 - 有一项实用新型专利



ALUMINIUM ALLOY	STAINLESS STEEL	STEEL	AUTO BRAKE	SUITABLE ESCALATOR
LOAD CAPACITY(KG)	NESTING DISTANCE(MM)	ADVERTISING SPACE (cm ²)		
300	270	4001		



Material	Stainless steel 304	材料	不锈钢 304
Length	970mm	长度	970mm
Width	625mm	宽度	625mm
Height	1070mm	高度	1070mm
Top basket size	525mm × 220mm × 150mm	车筐尺寸	525mm × 220mm × 150mm
Load capacity	300kg	载重	300kg
Castors	2 swivel castors and 2 fixed castors	车轮	两个万向 / 两个定向轮
Castors specification	Ø180mm castors with ball bearing	车轮规格	直径 180mm 滚珠轴承轮
Main advertising panel size	526mm × 280mm	主广告位尺寸	526mm × 280mm
Basket advertising panel size	Front: 480mm × 100mm Back: 480mm × 120mm	车筐广告位尺寸	前: 480mm × 100mm 后: 480mm × 120mm
Nesting distance	270mm	叠叉距离	270mm

SHOPPING CART


- Chrome plating steel tube or stainless steel of small luggage trolley
 - Without brake
 - Special for service trolley of classic shoppe and supermarket
- 钢管镀铬或不锈钢小型行李车
 - 不带刹车功能
 - 专为高档商店 超市购物的乘客用

ALUMINIUM ALLOY	STAINLESS STEEL	STEEL	AUTO BRAKE	SUITABLE ESCALATOR
LOAD CAPACITY(KG)	NESTING DISTANCE(MM)	ADVERTISING SPACE (cm ²)		
80	210	3180		



>


CX-80



Body material	Stainless steel 304 / Aluminium alloy	车体材料	不锈钢 304 / 高强度铝合金
Basket material	Stainless steel 304	车筐材料	不锈钢 304
Guard component material	PA6	防护材料	增强尼龙
Length	705mm	长度	705mm
Front width	320mm	前宽	320mm
Back width	545mm	后宽	545mm
Heigth	1000mm	高度	1000mm
Top basket size	400mm × 430mm × 445mm	车筐尺寸	400mm × 430mm × 445mm
Load capacity	80kg	载重	80kg
Castors	4 swivelcastors	车轮	四个转向
Castors specification	Ø125mm rear wheel with ball bearing	车轮规格	Ø125mm 转向滚珠轴承轮
Basket main advertising panel size	435mm × 390mm	车筐主广告位尺寸	435mm × 390mm
Basket advertising back panel size	400mm-355mm × 273mm	车筐背广告位尺寸	400mm-355mm × 273mm
Nesting distance	210mm	叠叉距离	210mm

CA-80

<



Body material	Stainless steel 304 / Aluminium alloy	车体材料	不锈钢 304 / 高强度铝合金
Basket material	Stainless steel 304	车筐材料	不锈钢 304
Guard component material	PA6	防护材料	增强尼龙
Length	760mm	长度	760mm
Front width	378mm	前宽	378mm
Back width	540mm	后宽	540mm
Heigth	1020mm	高度	1020mm
Top basket size	450mm × 400mm × 440mm	车筐尺寸	450mm × 400mm × 440mm
Load capacity	80kg	载重	80kg
Castors	4 swivelcastors	车轮	四个转向
Castors specification	Ø125mm rear wheel with ball bearing	车轮规格	Ø125mm 转向滚珠轴承轮
Basket main advertising panel size	425mm × 385mm	车筐主广告位尺寸	425mm × 385mm
Basket advertising back panel size	400mm-355mm × 273mm	车筐背广告位尺寸	400mm-355mm × 273mm
Nesting distance	210mm	叠叉距离	210mm



CS-80



ALUMINIUM ALLOY	STAINLESS STEEL ✓	STEEL ✓	AUTO BRAKE	SUITABLE ESCALATOR
LOAD CAPACITY(KG)	NESTING DISTANCE(MM)	ADVERTISING SPACE (cm ²)		
80	210	2050		



CS-100



载物平面
platform for carry goods

Material	Chromeplated steel tube / Stainless steel tube 304	材料	钢管镀铬 / 不锈钢 304
Length	700mm	长度	700mm
Front width	370mm	前宽	370mm
Back width	515mm	后宽	515mm
Heigth	1000mm	高度	1000mm
Top basket size	400mm × 425mm × 360mm	车筐尺寸	400mm × 425mm × 360mm
Load capacity	80kg	载重	80kg
Castors	4 swivel castors	车轮	4 个转向轮
Castors specification	Ø125mm TPE castor with ball bearing	车轮规格	直径 125mm TPE 轮
Main advertising panel size	340mm × 375mm	主广告位尺寸	340mm × 375mm
Nesting distance	210mm	叠叉距离	210mm

CW-80

ALUMINIUM ALLOY	STAINLESS STEEL	STEEL ✓	AUTO BRAKE	SUITABLE ESCALATOR
LOAD CAPACITY(KG)	NESTING DISTANCE(MM)	ADVERTISING SPACE (cm ²)		
80	210	3825		



Body material	Galvanized steel	车体材料	钢管镀锌
Basket material	Galvanized steel	车筐材料	镀锌钢
Guard component material	PA6	防护材料	增强尼龙
Length	715mm	长度	715mm
Front width	335mm	前宽	335mm
Back width	525mm	后宽	525mm
Heigth	1005mm	高度	1005mm
Top basket size	540mm × 478mm × 350mm	车筐尺寸	540mm × 478mm × 350mm
Load capacity	80kg	载重	80kg
Castors	4 swivelcastors	车轮	四个转向
Castors specification	Ø125mm rear wheel with ball bearing	车轮规格	Ø125mm 转向滚珠轴承轮
Basket main advertising panel size	485mm × 320mm	车筐主广告位尺寸	485mm × 320mm
Basket advertising back panel size	405mm-320mm × 342mm	车筐背广告位尺寸	405mm-320mm × 342mm
Nesting distance	200mm	叠叉距离	200mm



GC-100



ALUMINIUM ALLOY	STAINLESS STEEL ✓	STEEL ✓	AUTO BRAKE	SUITABLE ESCALATOR
LOAD CAPACITY(KG)	NESTING DISTANCE(MM)	ADVERTISING SPACE (cm²)		
100	290	4215		

Material	Stainless steel 304	材料	不锈钢 304
Length	730mm	长度	730mm
Front width	370mm	前宽	370mm
Back width	535mm	后宽	535mm
Height	980mm	高度	980mm
Top basket size	445mm × 280mm × 215mm	车筐尺寸	445mm × 280mm × 215mm
Load capacity	100kg	载重	100kg
Castors	2 swivel castors and 2 fixed casters	车轮	两个转向 / 两个定向
Castors specification	Ø125mm front castor with ball bearing	车轮规格	Ø125mm 转向
Main advertising panel size	445mm × 340mm	主广告位尺寸	445mm × 340mm
Basket advertising panel size	Front 375mm × 130mm, Back 390mm × 180mm	车筐广告位尺寸	前 375mm × 130mm, 后 390mm × 180mm
Nesting distance	290mm	叠叉距离	290mm



Sketch-map of components designation 部件名称示意图



Code	Name	名称
A	Manoeuvrable handle	手把
B	Connector of apply the brake	尼龙连接件
C	Load carrying basket	车筐
D	baske advertising panel	车筐广告板
E	Main advertising panel	主广告板
F	Nesting stopper	尼龙叉
G	Front wheel cap nylon cover	前轮尼龙盖
H	Rear wheel cap nylon cover	后轮尼龙盖
J	Rear wheel lower side cover	后轮下侧尼龙护条
L	Front buffer	前防撞条
M	Wheel assembly	轮子总成
N	Assembly of front wheel housing	前轮支架总成
O	Chassis	底盘
P	Side advertising panel	侧广告位
R	Dustproof cover	防尘盖